

A Series & A-PRO Series Complete Compressed Air Filter Kits Matched to Air Dryers in Flow & Performance

Altec AIR has created these Complete Compressed Air Filter Kits to take the guesswork out of which Filters you need to protect your specific Air Dryer, as well as any downstream processes, from contaminants found in the compressed air supply. These Kits are matched to your Refrigerated and Desiccant Air Dryers in both Flow, Performance & Connection Size ensuring their protection matches the requirements of the incoming compressed air as well as the resulting outgoing Clean, Dry Air.

These Kits come with Filter Elements installed and all of the hardware necessary for joining Filters together.

Just find the Filter Kit Part Number that matches your Air Dryer and necessary level of protection. It's just that Simple!

See the A Series and A-PRO Series Specification Sheets for Dimensions & Element Class details.




www.AltecAIR.com
800.521.5351

Altec | AIR
A SERIES & A-PRO SERIES
COMPLETE COMPRESSED AIR FILTER KITS

Filter Kits - Refrigerated

AR10 SERIES KITS FOR REFRIGERATED AIR DRYERS - (1) PRE-FILTER **

- Kits Include:
 - (1) X1 Grade - 1 micron Coalescing Filter
- Rated ISO 8573-1 Class 3.4.3
- Connection Sizes ranging from 1/2" to 3" NPT and 4" Flanged
- Differential Pressure Indicators -
 - Pop-up Indicators on AR10-0020 & AR10-0025
 - Gauge Indicators on AR10-0040 thru AR10-2000
- Automatic Float Drains



****The AR10 Series Filter Kits DO NOT meet the minimum requirement for Extended Warranty.**


Filter Kit	Use with Air Dryer	Filter Flow Rate (SCFM)	Connection Size (NPT)	Replacement Filter Elements
AR10-0020	UA20A	50	1/2"	ER10-0020
AR10-0025	RAD-0025A, UA25A			ER10-0025
AR10-0040	RAD-0040A, UA40A	85	3/4"	ER10-0040
AR10-0055	RAD-0055A, UA55A			ER10-0055
AR10-0075	RAD-0075A, UA75A	105	1"	ER10-0075
AR10-0100	RAD-0100A, UA100A			ER10-0100
AR10-0125	UA125A	175	1-1/2"	ER10-0125
AR10-0150	RAD-0150A, UA150A	320		ER10-0150
AR10-0200	RAD-0200A, UA200A		450	1-1/2"
AR10-0250	RAD-0250A, UA250A	ER10-0250		
AR10-0300	RAD-0300A, UA300A	700	2"	ER10-0300
AR10-0400	UA400A, DX400A			ER10-0400
AR10-0500	UA500A, DX500A	900	2"	ER10-0500
AR10-0625	UA620A, DX625A			ER10-0625
AR10-0800	UA800A, DX800A	1250	3"	ER10-0800
AR10-1000	UA1000A, DX1000A			ER10-1000
AR10-1200	UA1200A, DX1200A	1800	3"	ER10-1200
AR10-1600	UA1600A, DX1600A			ER10-1600
AR10-2000	UA2000A, DX2000A	2500	4" Flange	ER10-2000

MODELS & SPECIFICATIONS

Filter Kits - Refrigerated

AR11 SERIES KITS FOR REFRIGERATED AIR DRYERS - (1) PRE-FILTER & (1) AFTER-FILTER *

- Kits Include:
 - (1) X1 Grade - 1 micron Coalescing Pre-Filter
 - (1) XA Grade - 0.01 micron Coalescing After-Filter
- Rated ISO 8573-1 Class 1.4.1
- Connection Sizes ranging from 1/2" to 3" NPT and 4" Flanged
- Differential Pressure Indicators -
 - Pop-up Indicators on AR11-0020 & AR11-0025
 - Gauge Indicators on AR11-0040 thru AR11-2000
- Automatic Float Drains



*These Kits meet the minimum requirement for Extended Warranty.


Filter Kit	Use with Air Dryer	Filter Flow Rate (SCFM)	Connection Size (NPT)	Replacement Filter Elements
AR11-0020	UA20A	50	1/2"	ER11-0020
AR11-0025	RAD-0025A, UA25A			ER11-0025
AR11-0040	RAD-0040A, UA40A	85	3/4"	ER11-0040
AR11-0055	RAD-0055A, UA55A			ER11-0055
AR11-0075	RAD-0075A, UA75A	105	1"	ER11-0075
AR11-0100	RAD-0100A, UA100A			ER11-0100
AR11-0125	UA125A	175	1-1/2"	ER11-0125
AR11-0150	RAD-0150A, UA150A	320		1-1/2"
AR11-0200	RAD-0200A, UA200A		ER11-0200	
AR11-0250	RAD-0250A, UA250A	450	2"	ER11-0250
AR11-0300	RAD-0300A, UA300A			ER11-0300
AR11-0400	UA400A, DX400A	700	2"	ER11-0400
AR11-0500	UA500A, DX500A			ER11-0500
AR11-0625	UA620A, DX625A	900	3"	ER11-0625
AR11-0800	UA800A, DX800A			ER11-0800
AR11-1000	UA1000A, DX1000A	1250	3"	ER11-1000
AR11-1200	UA1200A, DX1200A			ER11-1200
AR11-1600	UA1600A, DX1600A	1800	4" Flange	ER11-1600
AR11-2000	UA2000A, DX2000A	2500		ER11-2000

MODELS & SPECIFICATIONS

Filter Kits - Refrigerated

AR21 SERIES KITS FOR REFRIGERATED AIR DRYERS - (2) PRE-FILTERS & (1) AFTER-FILTER *

- Kits Include:
 - (1) X5 Grade - 5 micron Coalescing Pre-Filter
 - (1) X1 Grade - 1 micron Coalescing Pre-Filter
 - (1) XA Grade - 0.01 micron Coalescing After-Filter
- Rated ISO 8573-1 Class 1.4.1
- Connection Sizes ranging from 1/2" to 3" NPT and 4" Flanged
- Differential Pressure Indicators -
 - Pop-up Indicators on AR21-0020 & AR21-0025
 - Gauge Indicators on AR21-0040 thru AR21-2000
- Automatic Float Drains



*These Kits meet the minimum requirement for Extended Warranty.

Filter Kit	Use with Air Dryer	Filter Flow Rate (SCFM)	Connection Size (NPT)	Replacement Filter Elements
AR21-0020	UA20A	50	1/2"	ER21-0020
AR21-0025	RAD-0025A, UA25A			ER21-0025
AR21-0040	RAD-0040A, UA40A	85	3/4"	ER21-0040
AR21-0055	RAD-0055A, UA55A			ER21-0055
AR21-0075	RAD-0075A, UA75A	105	1"	ER21-0075
AR21-0100	RAD-0100A, UA100A			ER21-0100
AR21-0125	UA125A	175	1-1/2"	ER21-0125
AR21-0150	RAD-0150A, UA150A	320		ER21-0150
AR21-0200	RAD-0200A, UA200A		450	1-1/2"
AR21-0250	RAD-0250A, UA250A	ER21-0250		
AR21-0300	RAD-0300A, UA300A	700	2"	ER21-0300
AR21-0400	UA400A, DX400A			ER21-0400
AR21-0500	UA500A, DX500A	900	2"	ER21-0500
AR21-0625	UA620A, DX625A			ER21-0625
AR21-0800	UA800A, DX800A	1250	3"	ER21-0800
AR21-1000	UA1000A, DX1000A			ER21-1000
AR21-1200	UA1200A, DX1200A	1800	3"	ER21-1200
AR21-1600	UA1600A, DX1600A			ER21-1600
AR21-2000	UA2000A, DX2000A	2500	4" Flange	ER21-2000

MODELS & SPECIFICATIONS

Filter Kits - Refrigerated

INSTALLED FILTER KITS FOR REFRIGERATED AIR DRYERS

MODELS & OPTIONS	Use with Air Dryer	Installed Kit with (1) Pre-Filter	Installed Kit with (1) Pre-Filter & (1) After-Filter	Installed Kit with (2) Pre-Filters & (1) After-Filter
	UA20A	AR10-FP-0020	AR11-FP-0020	AR21-FP-0020
	RAD-0025A, UA25A	AR10-FP-0025	AR11-FP-0025	AR21-FP-0025
	RAD-0040A, UA40A	AR10-FP-0040	AR11-FP-0040	AR21-FP-0040
	RAD-0055A, UA55A	AR10-FP-0055	AR11-FP-0055	AR21-FP-0055
	RAD-0075A, UA75A	AR10-FP-0075	AR11-FP-0075	AR21-FP-0075
	RAD-0100A, UA100A	AR10-FP-0100	AR11-FP-0100	AR21-FP-0100
	UA125A	AR10-FP-0125	AR11-FP-0125	AR21-FP-0125
	RAD-0150A, UA150A	AR10-FP-0150	AR11-FP-0150	AR21-FP-0150
	RAD-0200A, UA200A	AR10-FP-0200	AR11-FP-0200	AR21-FP-0200
	RAD-0250A, UA250A	AR10-FP-0250	AR11-FP-0250	AR21-FP-0250
	RAD-0025A, UA300A	AR10-FP-0300	AR11-FP-0300	AR21-FP-0300

FILTER BYPASS KITS FOR REFRIGERATED AIR DRYERS


MODELS & OPTIONS	Use with Air Dryer	Bypass Kit with (1) Pre-Filter	Bypass Kit with (1) Pre-Filter & (1) After-Filter	Bypass Kit with (2) Pre-Filters & (1) After-Filter
	UA20A	AR10-BP-0020	AR11-BP-0020	AR21-BP-0020
	RAD-0025A, UA25A	AR10-BP-0025	AR11-BP-0025	AR21-BP-0025
	RAD-0040A, UA40A	AR10-BP-0040	AR11-BP-0040	AR21-BP-0040
	RAD-0055A, UA55A	AR10-BP-0055	AR11-BP-0055	AR21-BP-0055
	RAD-0075A, UA75A	AR10-BP-0075	AR11-BP-0075	AR21-BP-0075
	RAD-0100A, UA100A	AR10-BP-0100	AR11-BP-0100	AR21-BP-0100
	UA125A	AR10-BP-0125	AR11-BP-0125	AR21-BP-0125
	RAD-0150A, UA150A	AR10-BP-0150	AR11-BP-0150	AR21-BP-0150
	RAD-0200A, UA200A	AR10-BP-0200	AR11-BP-0200	AR21-BP-0200
	RAD-0250A, UA250A	AR10-BP-0250	AR11-BP-0250	AR21-BP-0250
	RAD-0025A, UA300A	AR10-BP-0300	AR11-BP-0300	AR21-BP-0300



Filter Kits - Desiccant

AD11 SERIES KITS FOR DESICCANT AIR DRYERS - (1) PRE-FILTER & (1) AFTER-FILTER *

- Kits Include:
 - (1) XA Grade - 0.01 micron Coalescing Pre-Filter
 - (1) X1 Grade - 1 micron Particulate After-Filter
- Rated ISO 8573-1 Class 3.2.1**
- Differential Pressure Indicators -
 - Pop-up Indicators on AD11-HR14 thru AD11-HR57
- Filter Drains -
 - Automatic Float Drains on Coalescing Pre-Filters
 - Manual Drains on Particulate After-Filters



*These Kits meet the minimum requirement for Extended Warranty.

**HR & MHR Series Desiccant Air Dryers can be rated for ISO 8573-1 Class 3.1.1. Contact Altec AIR for details.

Filter Kit	Use with Air Dryer	Connection Size (NPT)	Regulator Included	Replacement Filter Elements
AD11-MDH14	MDH1 - MDH4	1/8"		ED11-MDH14
AD11-MDH14-R			✓	
AD11-MDH56	MDH5 - MDH6	1/4"		ED11-MDH56
AD11-MDH56-R			✓	
AD11-VSA14	VSA1 - VSA4	1/4"		ED11-VSA14
AD11-VSA14-R			✓	
AD11-HR14	HR1 - HR4	3/8"		ED11-HR14
AD11-HR14-R			✓	
AD11-HR57	HR5 - HR7	1/2"		ED11-HR57
AD11-HR57-R			✓	


MODELS & SPECIFICATIONS



Filter Kits - Desiccant

AD21 SERIES KITS FOR DESICCANT AIR DRYERS - (2) PRE-FILTERS & (1) AFTER-FILTER *

- Kits Include:
 - (1) X5 Grade - 5 micron Coalescing Pre-Filter
 - (1) XA Grade - 0.01 micron Coalescing Pre-Filter
 - (1) X1 Grade - 1 micron Particulate After-Filter
- Rated ISO 8573-1 Class 3.2.1**
- Differential Pressure Indicators -
Pop-up Indicators on AD21-HR14 thru AD21-HR57
- Filter Drains -
Automatic Float Drains on Coalescing Pre-Filters
Manual Drains on Particulate After-Filters



*These Kits meet the minimum requirement for Extended Warranty.

**HR & MHR Series Desiccant Air Dryers can be rated for ISO 8573-1 Class 3.1.1. Contact Altec AIR for details.

Filter Kit	Use with Air Dryer	Connection Size (NPT)	Regulator Included	Replacement Filter Elements
AD21-MDH14	MDH1 - MDH4	1/8"		ED21-MDH14
AD21-MDH14-R			✓	
AD21-MDH56	MDH5 - MDH6	1/4"		ED21-MDH56
AD21-MDH56-R			✓	
AD21-VSA14	VSA1 - VSA4	1/4"		ED21-VSA14
AD21-VSA14-R			✓	
AD21-HR14	HR1 - HR4	3/8"		ED21-HR14
AD21-HR14-R			✓	
AD21-HR57	HR5 - HR7	1/2"		ED21-HR57
AD21-HR57-R			✓	

MODELS & SPECIFICATIONS

800.521.5351
Sales@AltecAIR.com
AltecAIR.com

Corporate Office & Manufacturing:
226A Commerce Street
Broomfield, CO 80020

For more complete information on Altec AIR products and services, visit us on the web at www.AltecAIR.com.

Material and specifications are subject to change without notice. Featured units in photos may include optional features. Please contact an Altec AIR representative for all available options.

Altec®, the Altec logo, Altec AIR®, and the Altec AIR logo are registered trademarks of Altec Inc. in the United States and various other countries and may not be used without permission.

© 2022 Altec AIR. All Rights Reserved. SPEC-FILTER-KITS-0322

