

Up to 1500 SCFD

- Available in Standard, Low, & High Pressure Models
- Available in 120 VAC & 220 VAC Models
- Remote Real-Time Data and Alarm Reset Capabilities
- SNMP Communication Compatible
- Digital Display of All Operating Parameters
- Imperial and Metric Unit of Measure Options
- 8,000 Hour Maintenance Interval
- Compact and Lightweight
- Versatile Installation
- Ultra Quiet Compressor



ACCESSORIES

- Universal Rack Mounting Kit (P011674)
- Wall Mounting Kit (P011773)
- 4-Port Outlet Manifold Kit (P012099)
- 6-Month Maintenance Kit (P011910)
- 8,000 Hour Maintenance Kit (P012252)
- Cycle Module Interface (PVDW34)
- 3/8" Tubing (PMP26A20 - sold per foot)

SPECIFICATIONS & DIMENSIONS

	P1500W	P1500WLP	P1500WHP	P1502W	P1502WLP	P1502WHP
Output Capacity	Normal: 1,200 SCFD (34 SCMD) Continuous Maximum: 1,500 SCFD (42.5 SCMD) Emergency <i>*FLOW Measurement will display **** for Flows over 1000 SCFD / 28.3 SCMD for HP Models</i>					
Power Requirements (15 Amp Service Recommended)	110 - 125 VAC, 50/60 Hz			208 - 253 VAC, 50/60 Hz		
Running Amps	7.0 Amps			3.5 Amps		
Outlet Pressure Range	2 - 15 PSIG (13.8 - 103.4 KPa)	0.3 - 7.5 PSIG (2.07 - 51.71 KPa)	2 - 60 PSIG (13.8 - 414.0 KPa)	2 - 15 PSIG (13.8 - 103.4 KPa)	0.3 - 7.5 PSIG (2.07 - 51.71 KPa)	2 - 60 PSIG (13.8 - 414.0 KPa)
Outlet Air Relative Humidity	Less than 2% RH					
Compressor Type	Two-Cylinder, 3/4 HP, Oil-less Type					
Dehydrating Method	Heatless Desiccant					
Environment Operating Temperature Range	40° - 85°F (5° - 30°C) Ambient <i>**Unit will go into SHUTDOWN Mode if Cabinet Temperature exceeds 120°F (49°C)</i>					
Noise Level	48 dBA at 10' (3 m)					
Alarms	Standard Alarms - Complete readings of all critical measurement points, individual alarm indication display, including SNMP Communication					
Outlet Connections	3/8" Press-to-Lock Tube Fitting					
Dimensions	12" D x 17.25" W x 27" H (30.5 cm D x 43.8 cm W x 68.6 cm H)					
Weight	80 lbs (36.3 kgs)					

For more complete information on Altec AIR products and services, visit us on the web at www.AltecAIR.com. Material and specifications are subject to change without notice. Featured units in photos may include optional features. Please contact an Altec AIR representative for all available options. Altec AIR logo is a registered trademarks of Altec Inc. in the United States and various other countries and may not be used without permission. © 2022 Altec AIR. All Rights Reserved. SPEC-P1500W-0222

